

C Ú R A M T R A I N I N G

Sample Test for Cúram V8.X ADE – Accreditation (C004)

Introduction


This sample test is designed to give the test candidate an idea of the content and format of the questions that will be on the actual certification test. Performance on the sample test is not an indicator of performance on the actual certification test. In addition, this sample test is not an assessment tool. Note that a full practice test consisting of 50 questions is available from the Prometric site.

Note: The Answer Key follows the last question.

Copyright 2024 Merative. Page 1 of 6

Questions

- 1. Which three tasks are performed when you run the command: build clean server? (Select three.)
 - A. All database tables are dropped and rebuilt.
 - B. All generated server artifacts are deleted.
 - C. All code table files are recompiled.
 - D. All application navigation files are checked and loaded.
 - E. All client pages that have changed since the last build are regenerated.
 - F. All generated and handcrafted code is compiled.
- 2. Identify three components that are part of the Cúram Platform. (Select three.)
 - A. Eligibility and Entitlement.
 - B. Evidence Broker.
 - C. Provider Management.
 - D. Intelligent Evidence Gathering.
 - E. Income Support.
 - F. Cúram Data Model.
- 3. Consider the following assignable relationship:



Copyright 2024 Merative. Page 2 of 6

Which statement about the modeling is true? (Select one.)

- A. You cannot assign an entity to a struct.
- B. You cannot assign an entity to a struct that aggregates other structs.
- C. You cannot assign an entity to a list struct.
- D. The modeling looks okay based on what you can see.
- 4. Which entity operation requires you to model a return parameter? (Select one.)
 - A. read
 - B. readmulti
 - C. nsreadmulti
 - D. nkreadmulti
- 5. Which two statements about defining code tables are true? (Select two.)
 - A. Set Code_Table_Name for the CODETABLE_CODE domain definition.
 - B. Run build insertproperties to add the codes to the database.
 - C. Run build client.
 - D. The name of the CTX file must match the code table name in the file.
 - E. Refer to the Java constants file to use the codes from your Java code.
- 6. You modeled and implemented a class called MyFacade.

If the project package is serverworkshop, which two class signatures will you see in the class hierarchy? (Select two.)

- A. serverworkshop.impl.MyFacade implements serverworkshop.intf.MyFacade
- B. serverworkshop.base.MyFacade extends serverworkshop.intf.MyFacade
- C. serverworkshop.impl.MyFacade implements serverworkshop.base.MyFacade
- D. serverworkshop.impl.MyFacade extends serverworkshop.base.MyFacade
- E. serverworkshop.base.MyFacade implements serverworkshop.intf.MyFacade
- 7. Which three tasks are performed by the Data Manager? (Select three.)
 - A. Load XML files (CLOBs) to the database.
 - B. Load code tables to the database.

Copyright 2024 Merative. Page 3 of 6

- C. Extract files to your <component>\data folder.
- D. Load messages to the database.
- E. Run handcrafted SQL scripts.
- 8. You get a BUILD FAILED error when compiling a UIM Modify page. Here is a snippet from the page:

```
11
       <SERVER_INTERFACE OPERATION="readPerson"</pre>
           CLASS="MaintainPerson" NAME="ReadPersonBean" PHASE="DISPLAY" />
12
13
       <SERVER_INTERFACE OPERATION="modifyPerson"</pre>
           CLASS="MaintainPerson" NAME="ModifyPersonBean" PHASE="ACTION" />
14
15
      <PAGE PARAMETER NAME="concernRoleIDParam" />
16
       <CONNECT>
17⊝
           <SOURCE PROPERTY="concernRoleIDParam" NAME="PAGE" />
18
19
           <TARGET PROPERTY="personKey$concernRoleID"
20
               NAME="ReadPersonBean" />
21
     </CONNECT>
    <CONNECT>
22⊝
           <SOURCE PROPERTY="concernRoleIDParam" NAME="PAGE" />
23
24
           <TARGET PROPERTY="personDtls$concernRoleID"
25
               NAME="ModifyPersonBean" />
26
      </CONNECT>
       <CLUSTER TITLE="Cluster.Title.PersonDetails">
27
28⊝
           <ACTION SET ALIGNMENT="CENTER" TOP="false">
               <ACTION_CONTROL TYPE="ACTION" LABEL="Action.Save">
29⊝
30⊝
                   <LINK PAGE_ID="PersonDemo_readPerson">
31⊖
                       <CONNECT>
32
                            <SOURCE PROPERTY="result$concernRoleID"</pre>
                                NAME="ModifyPersonBean" />
33
34
                            <TARGET PROPERTY="concernRoleIDParam" NAME="PAGE" />
35
                        </CONNECT>
36
                   </LINK>
37
               </ACTION CONTROL>
38
               <ACTION_CONTROL LABEL="Action.Cancel" ></ACTION_CONTROL>
39
           </ACTION SET>
```

Which statement describes the problem? (Select one.)

- A. Line 12: the PHASE is incorrect.
- B. Line 14: the PHASE is incorrect.
- C. Line 29: the TYPE is incorrect.
- D. Line 38: the TYPE is incorrect.
- 9. Suppose that you need to summarize the Cúram application navigation hierarchy for a colleague.

Which sequence most accurately describes the hierarchy, from least granular to most granular? (Select one.)

- A. Application '.app' file, section '.sec' file, tab '.tab' file, navigation '.nav' file.
- B. Section '.sec' file, application '.app' file, tab '.tab' file, navigation '.nav' file.

Copyright 2024 Merative. Page 4 of 6

- C. Section '.sec' file, application '.app' file, menu '.mnu' file, tab '.tab' file.
- D. Application '.app' file, section '.sec' file, tab '.tab' file, shortcut '.ssp' file.
- 10. Which two statements about online help in Cúram are true? (Select two.)
 - A. Help can be defined for a page, field, link, and action.
 - B. The help text is defined in the curam-config.xml file.
 - C. Help pages are built using the build client command.
 - D. Define the <HELP> element in UIM files that provide help text.
 - E. Help pages open in a modal window.

Copyright 2024 Merative. Page 5 of 6

Answer Key

- 1. BCF
- 2. ADF
- 3. D
- 4. C
- 5. CE
- 6. DE
- 7. ABE
- 8. C
- 9. A
- 10. AC

Copyright 2024 Merative. Page 6 of 6